



Compact convenience

Travel at ease. Connect your phone, tablet or other Wi-Fi enabled devices to the GO9+ to safely access the internet -- all from the comfort of your vehicle.

Highlights

- Delivers up to 2G of data per month
 - 4x more than competitor offerings!
- Supports 10 Wi-Fi enabled devices at once to keep all passengers connected.



Never miss a beat with GO9+

Stay in sync with coworkers, friends and family safely while traveling to your destination. Connect to the platform that helps you reduce fleet costs, increase productivity and efficiency, improve safety, sustainability, and strengthen compliance.

The Geotab GO9+ is ideal for



Ride sharing



Corporate vehicles



Small businesses



Personal use




Heavy-truck fleets



The world's most advanced telematic device featuring onboard Wi-Fi.



High-speed wireless internet solution ideal for ride sharing, small businesses, fleet and corporate vehicles.




Always connected.
Always productive.

Reliable drivers deserve a reliable connection. GO9+ gives drivers the ability to access productivity applications, logging systems, email or work order management without the need for a separate data plan or contract resulting in increased productivity and lower costs, wherever the are.







A leading connected mobility solution



Wi-Fi hotspot

Fast and reliable LTE CAT4 Connectivity



Updated processor, GNSS module, gyroscope

Additional protocols supported natively



More horsepower, memory, and RAM

Enhanced security








Hardware highlights





GO9+ provisioning process





Latest firmware

Maintenance New features IOX firmware



Responsive to Market Demand



Enhanced Security

GO9+ visual notifications

LED is blinking

- Power on and firmware Updating
- Cellular modem is on but not connected
- GPS is on but not latched

LED is solid

- Power on and Firmware is updated
- Cellular modem is on and connected
- GPS is on and latched



GO9+ audio notifications

Installation Stage	Description	Beep Sequence
Initialization	Device Detects Power	6 Rapid
Continuation	During Install / Initialization process	2 Rapid (every 60 sec)
Completion	Just After Firmware Download	10 Rapid



GO9+ Wi-Fi hotspot configuration


- In MyGeotab, navigate to Vehicles in the main menu.
- 2. On the **Vehicles** page, select the desired vehicle from the list.
- 3. On the **Vehicle Edit** page, select the **Wi-Fi** tab.
- Under the Wi-Fi tab, toggle Enable hotspot to On.
- Enter SSID and Password for your Wi-Fi network, click Save
- 6. On the desired mobile device, navigate to device settings, select the desired Wi-Fi network, and then enter the password.

NOTE: The Wi-Fi tab is only visible after the GO9+ has completed the initial provisioning and the GO9+ has reported data to the MyGeotab database.

NOTE: For the SSID and password settings to take effect, the vehicle ignition must be OFF for at least 5 minutes before switching ignition back ON

Keep tabs on your data consumption

- Easily view your hotspot data consumption in MyGeotab
- Hotspot Data usage is also visible in the Wi-Fi tab, listed under **Data Usage**
- This is a monthly counter and resets on the first of each month. This is the data usage that is used to determine your total data consumed for the month. Data consumption is capped at 2GB.





855.300.0527

www.Fleetistics.com